48790

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA JAN 2 9 1985

Date of filing in State Engineer's Office.
Returned to applicant for correction
Corrected application filed
Map filed JAN 2 9 1985 under 48782
Cour Explorations Inc
The applicant Coeur Explorations, Inc.
416 River Street , of Wallace Street and No. or P.Q. Box No. City or Town
Idaho, 83873 , hereby make application for permission to appropriate the publ State and Zip Code No.
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpor
tion; if a copartnership or association, give names of members.) Incorporated in the state of
Idaho on January 1, 1980.
I bad o server and I to 12 40
1. The source of the proposed appropriation is Underground Well #9 Name of stream, lake, spring, underground or other source
2. The amount of water applied for is 2.67 One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet
3. The water to be used for Mining, Milling and Domestic Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
(a) Irrigation, state number of acres to be irrigated
(b) Stockwater, state number and kinds of animals to be watered.
(c) Other use (describe fully under "No. 12. Remarks" Mining, Milling and Domestic
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream
5. The water is to be diverted from its source at the following point NE NW Section 15 T28N. R35E Describe as being within a 40-acre subdivision of put
MDB & M. at a point from which the southwest corner of said Section 15
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. bears S24 ⁰ 30' W a distance of 4,990 feet.
6. Place of use Within sections 10, 15, 16, 21, and 22. All in T28N, R34E.
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about January 1 and end about December 31, of each year. Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans as
specifications of your diversion or storage works.) Drilled and cased well, pipeline distribut State manner in which water is to be diverted, i.e. diversion structure, ditches a
system, and storage reservoir, flumes, drilled well with pump and motor, etc.
9. Estimated cost of works At least \$60,000.00.

	Estimated time required to construct works. Three years If well completed, describe works.
11.	Estimated time required to complete the application of water to beneficial use Five years
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual
	consumptive use. Water will be used in a 10,000 ton per day heap leaching operation. Water from twell will be commingled with water from wells 1 - 8 and Permits 44613, 44614,
	44615 and 44616. Total annual consumptive use from all wells will not exceed 2.6
	cfs (1200 gpm expanded year-round or 1935.74 acre-feet per year). Use of water
	will be 24 hours per day, 365 days per year.
	By s/ Joseph K. Taylor
Com	255 Glendale Ave. #26 sparks, Nevada 89431
Prote	ested
	APPROVAL OF STATE ENGINEER
	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the
wate actu for with valu	unt of water herein granted is only a temporary allowance and that the final er right obtained under this permit will be dependent upon the amount of water ually placed to beneficial use. It is also understood that this right must allow a reasonable lowering of the static water level. This well shall be equipped h a two (2) inch opening for measuring depth to water. If the well is flowing, a we must be installed and maintained to prevent waste. A totalizing meter must be
accumete Comp Stat the publ (COM	talled and maintained in the discharge pipeline near the point of diversion and urate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins, or before the Proof of pletion of Work is filed. This source is located within an area designated by the te Engineer, pursuant to NRS 534.030. The State retains the right to regulate use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on lic, private or corporate lands. NYINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed. 2.67 cubic feet per second, but not to exceed 628
accumete Comp Stat the publ (COM The	urate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins, or before the Proof of pletion of Work is filed. This source is located within an area designated by the te Engineer, pursuant to NRS 534.030. The State retains the right to regulate use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on lic, private or corporate lands. NYINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and so exceed. 2.67 cubic feet per second, but not to exceed 628
accumete Comp Stat the publ (CON The	urate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins, or before the Proof of pletion of Work is filed. This source is located within an area designated by the te Engineer, pursuant to NRS 534.030. The State retains the right to regulate use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on lic, private or corporate lands. NITINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and so exceed. 2.67 cubic feet per second, but not to exceed 628 lion gallons annually.
accumete Comp Stat the publ (CON The	urate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins, or before the Proof of pletion of Work is filed. This source is located within an area designated by the te Engineer, pursuant to NRS 534.030. The State retains the right to regulate use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on lic, private or corporate lands. NYINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and so exceed. 2.67 cubic feet per second, but not to exceed 628
accumetes Comptstat the publ (CON The mot to	urate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins, or before the Proof of pletion of Work is filed. This source is located within an area designated by the te Engineer, pursuant to NRS 534.030. The State retains the right to regulate use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on lic, private or corporate lands. NITINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and so exceed. 2.67 cubic feet per second, but not to exceed 628 lion gallons annually.
accumete Compte Compte Stat the publ (COM The mill Worl	wrate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins, or before the Proof of pletion of Work is filed. This source is located within an area designated by the te Engineer, pursuant to NRS 534.030. The State retains the right to regulate use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on lic, private or corporate lands. NITINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and so exceed. 2.67 cubic feet per second, but not to exceed 628 lion gallons annually. k must be prosecuted with reasonable diligence and be completed on or before. November 4, 1987
accumete Comp Stat the publ (CON The most to mill Work	wrate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins, or before the Proof of pletion of Work is filed. This source is located within an area designated by the te Engineer, pursuant to NRS 534.030. The State retains the right to regulate use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on lic, private or corporate lands. NITINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and so exceed. 2.67 cubic feet per second, but not to exceed 628 lion gallons annually. k must be prosecuted with reasonable diligence and be completed on or before. November 4, 1987 December 4, 1987
accumetes Comptes Stat the publ (CON The mot to mill Work Appl	wrate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins, or before the Proof of pletion of Work is filed. This source is located within an area designated by the te Engineer, pursuant to NRS 534.030. The State retains the right to regulate use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on lic, private or corporate lands. NITINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and so exceed. 2.67 cubic feet per second, but not to exceed 628 lion gallons annually. k must be prosecuted with reasonable diligence and be completed on or before. November 4, 1987 for completion of work shall be filed before. December 4, 1987 lication of water to beneficial use shall be made on or before. November 4, 1990
accumetes Compstat Compstat The publ (COM The mill Work Proof Appl Proof Map	urate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins, or before the Proof of pletion of Work is filed. This source is located within an area designated by the te Engineer, pursuant to NRS 534.030. The State retains the right to regulate use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on lic, private or corporate lands. NITINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and so exceed. 2.67
accumete Comp Stat the publ (CON The mot to mill Work Proof Appl Proof Map	urate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins, or before the Proof of pletion of Work is filed. This source is located within an area designated by the te Engineer, pursuant to NRS 534.030. The State retains the right to regulate use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on lic, private or corporate lands. NITINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed. 2.67
accumetes Compstat Stat the publ (CON The mot to mill Worl Proof Appl Proof	urate measurements must be kept of water placed to beneficial use. The totalizing or must be installed before any use of water begins, or before the Proof of pletion of Work is filed. This source is located within an area designated by the te Engineer, pursuant to NRS 534.030. The State retains the right to regulate use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on lic, private or corporate lands. NITINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and so exceed. 2.67 cubic feet per second. but not to exceed 628 lion gallons annually. k must be prosecuted with reasonable diligence and be completed on or before. November 4. 1987 of of completion of work shall be filed before. December 4. 1990 of of the application of water to beneficial use shall be filed on or before. December 4. 1990 of of the application of beneficial use shall be filed on or before. December 6. November 6. November 6. 1990 The State Engineer of Nevada, have hereunto set my hand and the seal of the of beneficial use filed. The TESTIMONY WHEREOF, I PETER G. MORROS State Engineer of Nevada, have hereunto set my hand and the seal of the of beneficial use filed. The TESTIMONY WHEREOF, I PETER G. MORROS State Engineer of Nevada, have hereunto set my hand and the seal of the beneficial use filed. The TESTIMONY WHEREOF, I PETER G. MORROS State Engineer of Nevada, have hereunto set my hand and the seal of the beneficial use filed.
accumetes Comptes Stat the publ (COM The mill Work Proof Appl Proof Comptes Cultur	urate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins, or before the Proof of pletion of Work is filed. This source is located within an area designated by the te Engineer, pursuant to NRS 534.030. The State retains the right to regulate use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on lic, private or corporate lands. NYTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and so exceed. 2.67
accumetes Comptes Stat the publ (COM The mill Worl Proof Appl Proof Comptes Comptes Cultur Certif	urate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins, or before the Proof of pletion of Work is filed. This source is located within an area designated by the te Engineer, pursuant to NRS 534.030. The State retains the right to regulate use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on lic, private or corporate lands. NITINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed. 2.67
accumetes Comptes Stat the publ (COM The mill Worl Proof Appl Proof Comptes Comptes Cultur Certif	urate measurements must be kept of water placed to beneficial use. The totalizing er must be installed before any use of water begins, or before the Proof of pletion of Work is filed. This source is located within an area designated by the te Engineer, pursuant to NRS 534.030. The State retains the right to regulate use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on lic, private or corporate lands. NYTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed. 2.67

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	of filing in State Engineer's Office
Retu	rned to applicant for correction.
Corre	ected application filed
Мар	JAN 2 9 1985 under 48782
·	The applicant Coeur Explorations, Inc.
	416 River Street Wallace Street and No. or P.O. Box No. City or Town
1	Street and No. or P.O. Box No. City or Town Idaho, 83873 State and Zip Code No. State and Zip Code No.
	, , , , , , , , , , , , , , , , , , , ,
	s of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
	if a copartnership or association, give names of members.) Incorporated in the state of
Ida	tho on January 1, 1980.
	The source of the proposed appropriation is Underground Well #9
1.	The source of the proposed appropriation is Name of stream, lake, spring, underground or other source
2.	The amount of water applied for is 2.67second-feet
	(a) If stored in reservoir give number of acre-feet
3.	The water to be used for Mining, Milling and Domestic
	Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4.	If use is for:
	(a) Irrigation, state number of acres to be irrigated
	(b) Stockwater, state number and kinds of animals to be watered
	(c) Other use (describe fully under "No. 12. Remarks" Mining, Milling and Domestic
	(d) Power:
	(1) Horsepower developed
	(2) Point of return of water to stream
5 .	The water is to be diverted from its source at the following point NE1 NW1 Section 15 T28N. R35E Describe as being within a 40-acre subdivision of public
	MDB & M. at a point from which the southwest corner of said Section 15 survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
	bears S24° 30' W a distance of 4,990 feet.
6.	Place of use Within sections 70, 15, 16, 21, and 22. All in T28N, R34E.
٠.	Describe by legal subdivision. If on unsurveyed land, it should be so stated.
7.	Use will begin about January 1 and end about December 31, of each year.
	Month and Day Month and Day Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
	specifications of your diversion or storage works.) Drilled and cased well, pipeline distribution State manner in which water is to be diverted, i.e. diversion structure, ditches and
	system, and storage reservoir.
	flumes, drilled well with pump and motor, etc. Estimated cost of works At least \$60,000.00.


10.	Estimated time required to construct works. Three years If well completed, describe works.
11.	Estimated time required to complete the application of water to beneficial use Five years
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use,
	Water will be used in a 10,000 ton per day heap leaching operation. Water from the well will be commingled with water from wells 1 - 8 and Permits 44613, 44614,
	44615 and 44616. Total annual consumptive use from all wells will not exceed 2.67
	cfs (1200 gpm expanded year-round or 1935.74 acre-feet per year). Use of water
	will be 24 hours per day, 365 days per year.
	ву s/ Joseph K. Taylor 255 Glendale Ave. #26
Com	pared sb/jm js/bc Sparks, Nevada 89431
Prot	sted
	APPROVAL OF STATE ENGINEER
amore water for with value instance competer the public (CONThe	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the ing limitations and conditions: This permit is issued subject to existing rights. It is understood that the int of water herein granted is only a temporary allowance and that the final right obtained under this permit will be dependent upon the amount of water ally placed to beneficial use. It is also understood that this right must allow a reasonable lowering of the static water level. This well shall be equipped a two (2) inch opening for measuring depth to water. If the well is flowing, a emust be installed and maintained to prevent waste. A totalizing meter must be alled and maintained in the discharge pipeline near the point of diversion and rate measurements must be kept of water placed to beneficial use. The totalizing r must be installed before any use of water begins, or before the Proof of letion of Work is filed. This source is located within an area designated by the engineer, pursuant to NRS 534.030. The State retains the right to regulate use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ingress and egress on ic, private or corporate lands. PINUED ON PAGE 2) mount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and
	exceed 2.67 cubic feet per second, but not to exceed 461.26
	must be prosecuted with reasonable diligence and be completed on or before November 4, 1987
	of completion of work shall be filed on or before December 4, 1987
	of the application of water to beneficial use shall be made on or before
_	n support of proof of beneficial use shall be filed on or before
	of beneficial use filed
	my office, this 4th day of November
	A.D. 19. 85
Certif	218 (Rev.)

(PERMIT TERMS CONTINUED)

The total combined duty of water under Permits 44613, 44614, 44615, 44616, 48782, 48783, 48784, 48785, 48786, 48789 and 48790 shall not exceed 628 million gallons annually.

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.



Page 2 48790

(PERMIT TERMS CONTINUED)

The total combined duty of water under Permits 44613, 44614, 44615, 44616, 48782, 48783, 48784, 48785, 48786, 48789 and 48790 shall not exceed 461.26 million gallons annually.

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

